Ref #	Hits	Search Query	DBs	Default Operator	Plurais	Time Stamp
L4	6898198	@ad<"20040318"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 11:24
L5	0	L4 and tacas and private adj key with (smartcard smart adj card)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 11:24
L6	0	L4 and tacas\$2 and private adj key with (smartcard smart adj card)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 11:27
L7	1	L4 and tacas\$2 and private adj key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR ·	ON	2007/05/17 11:28
L8	0	L4 and tacas\$2 and xtacas	US-PGPUB; 'USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 11:41
L9	15	L4 and tacas+	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 11:33
L10	0	9 and xtacas	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 11:33
L11	0	9 and tacas	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 11:33
L12		9 and smart	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 11:33

		LASI Searc				
L13	1	L4 and xtacas	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 11:53
L14	257	4 and challenge with public with private with key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 11:54
L15	24	4 and challenge with public with private with key same smart	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 13:53
L16	1386	713/168.ccls. and 4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON .	2007/05/17 13:53
L17	693	713/155.ccls. and 4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 13:53
L18	3073	709/229.ccls. and 4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 13:53
L19	537	726/5.ccls. and 4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 13:53
L20	246	726/9.ccls. and 4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON.	2007/05/17 13:53
L21	1232	(16 17 18 19 20) and private adj key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 13:54
L22	256	(16 17 18 19 20) and radius	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 13:54

		•	-			
L23	1	(16 17 18 19 20) and tacas	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 13:54
L24	960	(16 17 18 19 20) and challenge	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/17 13:54
S1	6876394	@ad<"20040318"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/06 18:12
S2	351535	S1 and (tacas radius)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/06 18:12
S3	4	S1 and (tacas and radius)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/06 18:18
S4	19	S1 and random with challenge with (user client) same response and authentication adj server and private adj key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/06 18:24
S5	1	S1 and random with challenge with (user client) with (authentication adj server) and (network adj access adj server NAS) with response	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/07 09:38
S6	6876394	@ad<"20040318"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/07 09:39
S7	21	S6 and authentication adj server and network adj access adj server and random with challenge	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/07 12:06
S8		S6 and vcra	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/07 10:02

S9	4	S6 and authentication adj server and network adj access adj server and (user client) near2 generat\$5 with (challenge random)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/16 09:51
S10	1	"20020026573"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/07 12:12
S11	. 8	S6 and authentication adj server and network adj access adj server and (user client terminal) near2 generat\$5 with (challenge random)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/07 13:04
S12	9	S6 and authentication adj server and network adj access adj server and (user client terminal mobile adj station ms) near2 generat\$5 with (challenge random)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/07 13:21
S13	32	S6 and authentication adj server and (user client terminal mobile adj station ms) near2 generat\$5 with (challenge random) same (public private) adj key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/03/07 13:59
S14	. 1	"20050210247"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON .	2007/03/07 13:59
S15	6898101	@ad<"20040318"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON ·	2007/05/16 09:53
S16	1	S15 and authentication adj server and network adj access adj server and (user client) with encrypt\$3 with seed and radius	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/16 09:57
S17	68	S15 and RSA same securid	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/16 10:06
S18	10	S17 and radius	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/16 19:23

		27.51 554.15	,			
S19	6898101	@ad<"20040318"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/16 19:24
S20	970	S19 and encrypted adj private adj key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/16 19:48
S21	36	S20 and radius	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/16 19:36
S22	0	S20 and tacas	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/16 19:35
S23	0	S20 and tacas\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/16 19:35
S24	970	S19 and "encrypted private key"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/16 19:48
S25	55	S19 and "encrypted private key" with (user client) with server	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/16 20:03
S26	160	S19 and "encrypted private key" with (verif\$5 authenticat\$5 match\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR .	ON	2007/05/16 20:04
S27	78	S19 and "encrypted private key" near5 (verif\$5 authenticat\$5 match\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/05/16 20:07
S28	. 62	S19 and "encrypted private key" near3 (verif\$5 authenticat\$5 match\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON .	2007/05/16 20:09